

PRE-INSULATED TERMINALS



Pre-insulated crimp terminals are used in all cabling and anywhere the connection of a cable is needed, including control panel wiring, auto electrics and electronic manufacturing.


Our range includes Ring Terminals, In-line Connectors, Male Bullets, Female Bullets, Fork Terminals, Piggyback Terminals, Pin Terminals, crimping tools and many more...

Features:

- Easy entry for quick cable insertion
- Vinyl insulation material
- Brazed seam barrel for consistent crimp performance
- Electro tin-plated copper sheet
- UL approved
- Red Insulation: Conductor size 0.5-1.5mm²/22-16awg
- Blue Insulation: Conductor size 1.5-2.5mm²/16-14awg
- Yellow Insulation: Conductor size 4.0-6.0mm²/12-10awg

Easy Entry


It is easy to guide the cable properly in the cable clip as the insulation sleeve is of an “easy-entry” type, which means that it guides the cable correctly in the clip.



ITEM	NOMINAL CURRENT RATINGS		
	RED	BLUE	YELLOW
Ring Terminal	24A	32A	48A
Fork Terminal	19A	24A	36A
Bullet Connector	10A	16A	24A
Pin Connector	19A	24A	36A
In-line Connector	24A	32A	48A
Female Disconnect	10A	16A	24A
Male Disconnect	10A	16A	24A


PRE-INSULATED TERMINALS

RING TERMINAL
CABLE SIZE:
0.5mm² – 1.5mm²




CATALOGUE NO	STUD SIZE (mm)	PACK SIZE
RV1.25-(3.7)	M3	100
RV1.25-4	M4	100
RV1.25-5	M5	50
RV-1.25-6	M6	50
RV1.25-8	M8	50
RV1.25-10	M10	25

RING TERMINAL
CABLE SIZE:
1.5mm² – 2.5mm²




CATALOGUE NO	STUD SIZE (mm)	PACK SIZE
RV2-3	M3	100
RV2-4	M4	100
RV2-5	M5	50
RV2-6	M6	50
RV2-8	M8	50
RV2-10	M10	50
RV2-12	M12	25

RING TERMINAL
CABLE SIZE:
2.5mm² – 6mm²



CATALOGUE NO	STUD SIZE (mm)	PACK SIZE
RV5.5-3	M3	50
RV5.5-4	M4	50
RV5.5-5	M5	50
RV5.5-6	M6	25
RV5.5-8	M8	25
RV5.5-10	M10	25
RV5.5-12	M12	20

FORK TERMINAL
CABLE SIZE:
0.5mm² – 1.5mm²




CATALOGUE NO	STUD SIZE (mm)	PACK SIZE
SV1.25-3	M3	100
SV1.25-4	M4	100
SV1.25-5	M5	50
SV1.25-6	M6	50

FORK TERMINAL
CABLE SIZE:
1.5mm² – 2.5mm²



CATALOGUE NO	STUD SIZE (mm)	PACK SIZE
SV2-4	M4	50
SV2-5	M5	50
SV2-6	M6	50

FORK TERMINAL
CABLE SIZE:
2.5mm² – 6mm²




CATALOGUE NO	STUD SIZE (mm)	PACK SIZE
SV5.5-4	M4	25
SV5.5-5	M5	25
SV5.5-6	M6	25
SV5.5-7	M7	25
SV5.5-8	M8	25

BULLET CONNECTORS
CABLE SIZE:
0.5mm² – 1.5mm²




CATALOGUE NO	SIZE (mm)	PACK SIZE
MALE		
MPD1-156	4mm	100
FEMALE		
FRD1-156	4mm	50

BULLET CONNECTORS
CABLE SIZE:
1.5mm² – 2.5mm²



CATALOGUE NO	SIZE (mm)	PACK SIZE
MALE		
MPD2-156	4mm	100
MPD2-195	5mm	50
FEMALE		
FRD2-156	4mm	50
FRD2-195	5mm	25

BULLET CONNECTORS
CABLE SIZE:
2.5mm² – 6mm²



CATALOGUE NO	SIZE (mm)	PACK SIZE
MALE		
MPD5-195	5mm	25
FEMALE		
FRD5-195	5mm	25

SPADE INSULATED MALE TERMINALS
CABLE SIZE:
1.25mm²-5mm²




CATALOGUE NO	COLOUR	PACK SIZE
MDD1.25-250	RED	100
MDD2-250	BLUE	50
MDD5-250	YELLOW	50

SPADE INSULATED FEMALE TERMINALS
CABLE SIZE:
1.25mm²-5mm²



CATALOGUE NO	SIZE (mm)	PACK SIZE
FDD1.25-250	RED	100
FDD2-250	BLUE	50
FDD5.5-250	YELLOW	50
FDD5.5-375	YELLOW	20


SPADE FULLY INSULATED FEMALE CONNECTORS
CABLE SIZE:
1.25mm²-5mm²



CATALOGUE NO	SIZE (mm)	PACK SIZE
DFD1.25-250	RED	50
DFD 2-250	BLUE	50
DFD5.5-250	YELLOW	25


PRE-INSULATED TERMINALS

PIGGYBACK DISCONNECTS
CABLE SIZE:
0.5mm² – 1.5mm²




CATALOGUE NO	TAB SIZE (mm)	PACK SIZE
PBDD1-250	6.4x0.8	25

PIGGYBACK DISCONNECTS
CABLE SIZE:
1.5mm² – 2.5mm²




CATALOGUE NO	TAB SIZE (mm)	PACK SIZE
PBDD2-250	6.4x0.8	25

PIGGYBACK DISCONNECTS
CABLE SIZE:
2.5mm² – 6mm²




CATALOGUE NO	TAB SIZE (mm)	PACK SIZE
PBDD5-250	6.4x0.8	25

NYLON FEMALE CONNECTORS
CABLE SIZE:
0.5mm² – 1.5mm²




CATALOGUE NO	TAB SIZE (mm)	PACK SIZE
DFDN1-250	6.4x0.8	50

NYLON FEMALE CONNECTORS
CABLE SIZE:
1.5mm² – 2.5mm²




CATALOGUE NO	TAB SIZE (mm)	PACK SIZE
DFDN2-250	6.4x0.8	50

NYLON FEMALE CONNECTORS
CABLE SIZE:
2.5mm² – 6mm²




CATALOGUE NO	TAB SIZE (mm)	PACK SIZE
DFDN5-250	6.4x0.8	25

INSULATED INLINE SPLICE
CABLE SIZE:
0.5mm² – 1.5mm²



CATALOGUE NO	TAB SIZE (mm)	PACK SIZE
BV1.25-RED	6.4x0.8	25

INSULATED INLINE SPLICE
CABLE SIZE:
1.5mm² – 2.5mm²




CATALOGUE NO	TAB SIZE (mm)	PACK SIZE
BV2-BLUE	6.4x0.8	25

INSULATED INLINE SPLICE
CABLE SIZE:
2.5mm² – 6mm²



CATALOGUE NO	TAB SIZE (mm)	PACK SIZE
BV5.5-YELLOW	6.4x0.8	25

HEAT SHRINKABLE TUBING
CABLE SIZE:
0.5mm² – 1.5mm²




CATALOGUE NO	WIRE SIZE (mm)	PACK SIZE
BSI-1H	0.25 – 1.65	50

HEAT SHRINKABLE TUBING
CABLE SIZE:
1.5mm² – 2.5mm²



CATALOGUE NO	WIRE SIZE (mm)	PACK SIZE
BSI-2H	1.04 – 2.63	50

HEAT SHRINKABLE TUBING
CABLE SIZE:
2.5mm² – 6mm²



CATALOGUE NO	WIRE SIZE (mm)	PACK SIZE
BSI-5H	2.63 – 6.64	25