

Product datasheet

Specifications

CLIPSAL



Meter Box, Clipsal Resi MAX, South Australia 24 Modules With meter isolator MCB 63 A 1P 6 kA

230DRAS1MI

Main

Range of product	Resi MAX
Product type	Meter box
Enclosure type	Plain door enclosure
Device application	Metering Distribution
Targeted country	Australia
Targeted region	South Australia

Complementary

Enclosure mounting	Surface Semi flush
Number of modules	24
Provided equipment	Enclosure DIN rail Earth and neutral grid assembly Removable meter panel Meter isolator Fascia plate
Function available	Clips lead retainer
Protection device type	miniature circuit breaker (MCB) - 63 A - 1P - 6 kA
Cable entry	knock-out top and bottom
Door type	Ventilated removable door with door retainer
Door opening side	Right
Lock type	Padlockable
Material	Iron (galvanised)
Surface finish	Epoxy powder coat
Width	500 mm
Height	600 mm
Depth	256 mm
Colour	Beige

Environment

IP degree of protection	IP23
Standards	AS/NZS 3000

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	60.0 cm
Package 1 Width	50.0 cm
Package 1 Length	25.6 cm
Package 1 Weight	16.3 kg

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	208
----------------------------------	-----

Environmental Disclosure	Product Environmental Profile
--------------------------	---

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
--	-----

Packaging without single use plastic	Yes
--------------------------------------	-----

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
-----------------------------------	--

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Halogen-free status	Halogen free product
---------------------	----------------------

PVC free	No
----------	----

Silicone-free	No
---------------	----

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
---------------------------------	--

Take-back	No
-----------	----

Image of product / Alternate images

Alternative

