

Product datasheet

Specifications



Smoke Alarm Isolation Unit, Clipsal - Smoke Alarms, Compatible with Clipsal Smoke Alarms, for Output to External Siren/Strobe

756

Main

Range of product	Series 756
Range	Wiser
Product brand	Clipsal
Concentrator compatibility	Wiser hub generation 1
Product or component type	Smoke detector
Device application	Early detection of smouldering fires and open fires
Mobile App name	Wiser by SE

Complementary

Colour tint	White (RAL 9003)
Communication network type	Wireless Zigbee (2.4 GHz), 2.5 mW at < 50 m
Detection type	Heat
Function available	Local alarm
Technology type	Scattered light (Tyndall effect)
Type of measurement	Smoke
Control type	Button (test/hush function)
horn level	85 dB at 3 m, minimum
Time delay range	10 min (hush)
Local signalling	Visual: 1 LED (red) for warning and low battery
Material	Thermoplastic
Type of installation	Indoor
Device mounting	Surface
Mounting support	Ceiling
Fixing mode	By screws

Environment

IP degree of protection	IP20
Ambient air temperature for operation	0...50 °C
Ambient air temperature for storage	-20...60 °C
Relative humidity	0...95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	13.5 cm
Package 1 Length	20.8 cm
Package 1 Weight	126 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	10.4 cm
Package 2 Width	15.8 cm
Package 2 Length	31.4 cm
Package 2 Weight	1.394 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	12
---	----

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Compliant with Exemptions
-------------------	---------------------------

REACH Regulation	REACH Declaration
------------------	-----------------------------------

China RoHS Regulation	China RoHS declaration
-----------------------	--

Use Again

Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back	No
-----------	----

Image of product / Alternate images

Alternative

