




DEKS™ **DEKTITE RUBBER**

Premium

Combo

Soaker / Flat Roof



DEKS™

DEKTITE RUBBER

DEKS Industries was established in 1947. Each and every year its reputation for quality, service and innovation grows.


Headquartered in Melbourne Australia with offices in the United Kingdom and the United states of America.

DEKS Industries lives by the mantra “Innovative, Better, Faster” applying these principles to everything we do. When you purchase a DEKS product you can be assured you’re buying the best there is.

Key features:




High performance.



Durable.



UV rated.



Minimal tools required.



The Range

Dektite Rubber

Premium Black EPDM



Minimum roof pitch 18°

Roof Pitch 0-65°

Penetration size mm	Base size mm	Part number
0-20	71 x 71	DFE10MB

Roof Pitch 0-45°

Penetration size mm	Base size mm	Part number
0-35	100 x 100	DFE100B, DFE100G
5-55	139 x 139	DFE101B, DFE101G
50-70	181 x 181	DFE102BA, DFE102GA
5-127	220 x 220	DFE103B, DFE103G
75-175	280 x 280	DFE104B, DFE104G
100-200	308 x 308	DFE105B
125-230	363 x 363	DFE106B
150-300	456 x 456	DFE107B, DFE107G
170-355	496 x 496	DFE108B, DFE108G
230-508	681 x 681	DFE109B, DFE109G

Combo Black EPDM




Clips Included

Roof Pitch 0 - 40°

Penetration size mm	Base size mm	Part number
5-60	141 x 141	DC101BC
45-85	181 x 181	DC102BC
5-127	221 x 221	DC103BC, DC103GC
75-175	287 x 287	DC104BC, DC104GC
108-190	368 x 368	DC105BC,
125-230	368 x 368	DC106BC
150-280	456 x 456	DC107BC
175-330	456 x 456	DC108BC
240-508	707 x 707	DC109BC,
350-760	1017 x 1067	DC110BC

Combo Square Black EPDM



Clips Included

Roof Pitch 0 - 40°

Penetration size mm	Base size mm	Part number
20-125	222 x 222	DCS103BC


Solar Black EPDM



Roof Pitch 0 - 45°

Penetration size mm	Base size mm	Part number
0-35	101 x 101	DFE100BS
5-55	139 x 139	DFE101BS


Soaker/Flat Roof Grey EPDM



Roof Pitch 0 - 60°

Penetration size mm	Base size mm	Part number
114-254	485 x 460	DF603
254-406	708 x 640	DF605
380-610	1010 x 905	DF606

Dektite Retrofit Grey EPDM



Roof Pitch 0 - 40°


Penetration size mm	Base size mm	Part number
20-70	160	RF801G
50-185	273	RF802G
85-255	369	RF803G

Related Solutions



DEKS Fast Flash

Flexible, easy to install lead-free flashing.



Dekstrip

An expandable flashing solution for large and curved profiles and penetrations.



Dektite® Evap

Purpose designed flashing solution for ductwork supporting evaporative cooler units.



Visit our website to watch our product videos.

www.deks.com.au



www.deks.com.au

*Follow
Us On*



Version 6.00