



Einhell

PROFESSIONAL



Cordless Light

TP-CL 18/3000 Li - Solo

Item No.: 4514172

Ident No.: 21013

Bar Code: 4006825672329

The Einhell Cordless Lamp TP-CL 18/3000 Li - Solo brings light into the dark, whether on the construction site or in the workshop, garage or garden. The efficient lithium-ion rechargeable battery from the Power X-Change family ensures optimum brightness. With 60 powerful LEDs and providing to 3000 lumens, this lamp lights up any corner. The adjustable light panels enable large areas spanning up to 270° to be illuminated. A neutral-white light with a colour temperature of 5700 K ensures bright lighting conditions. Portable and handy, it is easy to transport thanks to the integrated carrying handle, while hooks and eyelets provide a variety of universal mounting possibilities. The tool does not include a battery or charger.

Features & Benefits

- Member of the Power X-Change family, 1 x 18 V battery required
- 60 bright LEDs with a total of 3000 lumens of luminous flux
- 5700 K for a neutral tone of white and bright lighting conditions
- Ideal for illuminating short distances up to 10 m
- Easy transport thanks to integrated carrying handle
- Universal mounting to 1/4" and 5/8" threaded tripods
- High flexibility thanks to the swivelling light head
- With Softgrip handle
- Hanging hook for optimal storage
- Adjustable light panels for illuminating large areas up to 270°
- Comes without battery or charger (sold separately)



Technical Data

- | | |
|---|--------------|
| - Quantity of LED | 60 Pieces |
| - Luminous flux min. | 200 lm |
| - Luminous flux max. | 3000 lm |
| - Luminous colour | 5700 K |
| - Number of brightness adjustment steps | Continuously |



Logistic Data

- | | |
|--------------------------------------|--------------------|
| - Product weight | 1.74 kg |
| - Gross weight single packaging | 2.495 kg |
| - Dimensions single packaging | 300 x 270 x 230 mm |
| - Pieces per export carton | 4 Pieces |
| - Gross weight export carton | 10.8 kg |
| - Dimensions export carton | 607 x 551 x 240 mm |
| - Container quantity (20"/40"/40"HC) | 1386 2880 3200 |



Available as special accessories



4-6 Ah Multi-Ah Power X-Change Plus Battery
Item No.: 4511502
Bar Code: 4006825644210



4,0 Ah Power X-Change Battery
Item No.: 4511396
Bar Code: 4006825610376
Einhell Accessory



18V 4,0Ah PXC Starter Kit A1 PXC-Starter-Kit
Item No.: 4512042
Bar Code: 4006825613704
Einhell Accessory



Power X-Fastcharger 4A Charger
Item No.: 4512103
Bar Code: 4006825650228
Einhell Accessory



18V 3,0 Ah Power-X-Change 1 Battery
Item No.: 4511341
Bar Code: 4006825590593
Einhell Accessory



2x 4,0Ah & Twincharger Kit 1 PXC-Starter-Kit
Item No.: 4512112
Bar Code: 4006825655766
Einhell Accessory



5,2Ah & 4A Fastcharger PXC-Starter-Kit
Item No.: 4512114
Bar Code: 4006825656787
Einhell Accessory



3,0 Ah Power X-Change Plus Battery
Item No.: 4511501
Bar Code: 4006825644197
Einhell Accessory



5,2 Ah Power X-Change Plus Battery
Item No.: 4511437
Bar Code: 4006825616606
Einhell Accessory



2,0 Ah Power X-Change Battery
Item No.: 4511395
Bar Code: 4006825610369
Einhell Accessory



18V 2,5Ah PXC Starter Kit PXC-Starter-Kit
Item No.: 4512097
Bar Code: 4006825646962
Einhell Accessory



18V 3,0Ah PXC Starter Kit PXC-Starter-Kit
Item No.: 4512041
Bar Code: 4006825613698
Einhell Accessory



2x2 Power X-Quattrocharger 4A Charger
Item No.: 4512102
Bar Code: 4006825649536
Einhell Accessory



Power X-Twincharger 3A Charger
Item No.: 4512069
Bar Code: 4006825629729
Einhell Accessory



Power X-Car Charger 3A Charger
Item No.: 4512113
Bar Code: 4006825655377
Einhell Accessory



2x 18V 5,2Ah PXC-Twinpack Battery
Item No.: 4511526
Bar Code: 4006825656695
Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB A1 Battery
Item No.: 4511489
Bar Code: 4006825638578



18V 5-8Ah Multi-Ah PXC Plus Battery
Item No.: 4511600
Bar Code: 4006825665055
Einhell Accessory



18V 4,0Ah Power-X-Change Plus Battery
Item No.: 4511553
Bar Code: 4006825660869
Einhell Accessory

Battery-Running-Times



running time¹
(min.)

One Battery for All

1.5 Ah	54
2.0 Ah	73
2.5 Ah	91
3.0 Ah	109
4.0 Ah	145
5.2 Ah	189
6.0 Ah	218
8.0 Ah	291

Test setup:

1) Max. brightness setting