Part number

CKA 03 IA



Angled Bulkhead mounting housing, CKA series, with 1 lever without cable entry, size "21.21"

Product description	
Product type	Angled bulkhead mounting housing
Series	CKA
Closing type	With 1 lever
Size	Size "21.21"
Cable entry	Without cable entry
Technical data	
IP degree of protection	IP44 (IP66/IP67/IP69 with CKR 65/CKR 65 D kits)
Further technical details	
Weight	45,00 g
Operating temperature range (min, max)	-40°C...+125°C


Material properties	
Colour	RAL 7040 grey
Approvals / Standards	
UL	ECBT2
cUL	ECBT8
General ordering information	
EAN13 code	8015747026932
Packaging Information	
Packaging length	330,00 mm
Packaging height	230,00 mm
Packaging width	205,00 mm
Packaging weight	5,17 kg
Packaging volume	15,56 dm³
Packaging description	Carton box
Packaging quantity	100 Pcs
Packaging EAN code	8015747026949
Sub-packaging length	185,00 mm
Sub-packaging height	40,00 mm
Sub-packaging width	155,00 mm
Sub-packaging weight	0,52 kg
Sub-packaging volume	1,15 dm³
Sub-packaging description	Carton box
Sub-packaging quantity	10 Pcs
Sub-packaging EAN barcode	8015747026956

Part number


CKA 03 IA

Catalogue drawings


CKA IA




CKAX IA




CKA IAPS (CKA APS) MKA - IAP (MKA AP)



CKAX IAPS (CKAX APS) - MKAX IAP (MKAX AP)



Catalogue drawings



Notes

Dimensions shown in mm are not binding and may be changed without notice.