

# 40VMax Random Orbit Sander XGT®

## B0001CG

125 mm

Model B0001CG is a battery powered random orbit sander powered by a 40Vmax XGT Li-Ion battery. Excellent maneuverability has been achieved by using a connector-style connection to the battery, reducing the load on hand and further keeping the overall height low.

The main features and benefits are: •A connector connection to the battery •Net type abrasive discs •Pad saver discs •Compatible with AWS (Auto-start Wireless System)



### Technical specifications

Voltage XGT	✓
Nominal Battery Voltage	40 V
Orbits per Minute	6000 - 10000 min <sup>-1</sup>
Sanding pad diameter	125 mm
Sanding Disc Diameter	125 mm
Sanding Orbit Diameter	5 mm
Sound Pressure Level (L <sub>pA</sub> )	78 dB(A)
Noise Uncertainty (K Factor)	3 dB(A)
Vibration Level, Sanding Metal Plate	3,2 m/s <sup>2</sup>
Vibration Uncertainty (K Factor), Sanding Metal Plate	1,5 m/s <sup>2</sup>
Product net weight	0,92 kg
Tool weight with battery	1,7 - 2,9 kg
Product Dimensions (L x W x H):	234 x 123 x 96 mm

### User benefits

- Auto-start Wireless System (AWS) connects to vacuum cleaner with Bluetooth
- Electric brake for increased productivity and operator safety
- Brushless maintenance-free and long-life motor

Link to product - [www.makita.com](http://www.makita.com)



# Related products

## ■ Other

User manual

Parts drawing