


## 6A Single Phase Type A 1 Module B Curve 1P+N 6kA 30mA Mini RCBO

Product Ref: **6A2P30B6MAT**

### Technical Features:

- Insulated DIN rail clips
- Sensitivity 30mA (6kA)
- Test 'T' operating test button on the front panel
- Fault tripping indicator window
- Complete with 400mm Neutral cable
- Ergonomic hand grip for easy installation



## Product Specification

|                            |                              |
|----------------------------|------------------------------|
| Bidirectional              | No                           |
| Voltage Rating             | 230V                         |
| Current Rating             | 6A                           |
| Weight                     | 0.160kg                      |
| Incoming Terminal Capacity | 16mm <sup>2</sup>            |
| Number of Modules          | 1                            |
| Number of Poles            | 1P+N                         |
| Outgoing Terminal Capacity | 16mm <sup>2</sup>            |
| Torque Settings            | 1.2Nm (L/N out) / 2Nm (L in) |
| Short Circuit Rating       | 6kA                          |
| Tripping Characteristics   | B Curve                      |
| Tripping Sensitivity       | 30mA                         |
| RCD Type                   | A                            |
| Mounting                   | Din Rail                     |
| Colour                     | Grey/Blue                    |
| Material                   | Plastic / Metal              |
| Compliance                 | UKCA, CE                     |
| Guarantee                  | 1 Year                       |
| Standards                  | IEC 61009-1                  |
| Depth                      | 66mm                         |
| Height                     | 87mm                         |
| Width                      | 18mm                         |

Errors and omissions excepted (E&OE). All information is subject to change without notice and is correct at the time of print. Refer to issue number and date below.

Tel: +44 (0)1302 342 642 • [mcg.co.uk](http://mcg.co.uk) • [✉@mcg\\_industrial](mailto:info@mcg_industrial)