


MD6MS2100

NHP MOD6+ Main Switch 2 Pole 100A



Component type	Miniature circuit breaker (MCB)
Range	MOD6+ Miniature Circuit Breakers
Model	N/A
Product status	New Item

NHP's MOD6+ Miniature Circuit Breakers (MCBs) offer cost effective solutions while providing core electrical protection, designed to detect and trip on overload and short circuit currents. These MCBs are available with a 6kA short circuit rating, with current ratings from 6-63A in 1P, 2P or 3P in C trip curve and 80-125A in 1P & 3P in C trip curve.

ELECTRICAL

Rated current	100 A
Number of poles (total)	2
Rated voltage	415 V
Frequency	50-60 Hz
Voltage type	AC
Service voltage U_b , AC	12 V
Max. rated operation voltage U_e	436 V
Rated insulation voltage U_i	440 V
Rated impulse withstand voltage U_{imp}	4 kV

CONSTRUCTION

Additional equipment possible	No
IP rating	IP40

MECHANICAL

Connectable conductor cross section solid-core	1-50 mm ²
--	----------------------

DIMENSIONS

Height	85 mm
Width	35 mm
Depth	75.8 mm
Width in number of modular spacings	2
Weight	0.18 kg

ENVIRONMENT


Pollution degree	3
Rated surrounding temperature without derating	35 °C
Rated temperature	-25...55 °C

MD6MS2100

NHP MOD6+ Main Switch 2 Pole 100A



CIRCUIT DIAGRAM



2P

MD6MS2100

NHP MOD6+ Main Switch 2 Pole 100A



DIMENSIONAL DIAGRAM

