



# Classic filament LEDbulbs

## LED giant 20W E27 T65 1800K smoky D

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

### Product data

General Information		Wattage Equivalent	
Cap-Base	E27 [ E27]		20 W
EU RoHS compliant	Yes	Starting Time (Nom)	0.5 s
Nominal Lifetime (Nom)	15000 h	Warm Up Time to 60% Light (Nom)	0.5 s
Switching Cycle	20000X	Power Factor (Nom)	0.7
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	818 [ CCT of 1800K]	T-Case Maximum (Nom)	45 °C
Luminous Flux (Nom)	200 lm		
Color Designation	1800	Controls and Dimming	
Correlated Color Temperature (Nom)	1800 K	Dimmable	Yes
Luminous Efficacy (rated) (Nom)	30.00 lm/W		
Color Consistency	<6	Mechanical and Housing	
Color Rendering Index (Nom)	80	Bulb Finish	smoky
LLMF At End Of Nominal Lifetime (Nom)	70 %	Bulb Shape	T65 [ T 65mm]
Operating and Electrical		Approval and Application	
Input Frequency	50 to 60 Hz	Energy Consumption kWh/1000 h	7 kWh
Power (Nom)	6.5 W		
Lamp Current (Nom)	40 mA		


# Classic filament LEDbulbs

## Product Data

Full product code	871951431541900
Order product name	LED giant 20W E27 T65 1800K smoky D
EAN/UPC - Product	8719514315419
Order code	929002982701
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	2
Material Nr. (12NC)	929002982701
Net Weight (Piece)	0.196 kg

## Dimensional drawing




Bulb T65 230V 6.5-20W 200lm 1800K E27 D


## Product

LED giant 20W E27 T65 1800K smoky D


## Photometric data



LEDbulb SLR T65 6,5W E27 818 Smoky-LDD



LEDbulb SLR 6,5W T65 E27 818 Smoky-POC





© 2021 Osram GmbH, München, Germany Page 1/1

LEDbulb SLR 6,5W T65 E27 818 Smoky-GUL

# Classic filament LEDbulbs

## Lifetime



15K LED

15K LMP

