



# Classic filament LEDbulbs

## MAS VLE LEDBulb D7.8-75W E27 927 A60 FRG

Featuring a classic heritage design, Classic filament LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

### Product data

General Information	
Cap base	E27 [ E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	20,000X
	Sphere
Light Technical	
Colour Code	927 [ CCT of 2,700 K]
Luminous flux (nom.)	1055 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	135.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	7.8 W

Lamp current (nom.)	46 mA
Wattage equivalent	75 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	80 °C
Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [ A 60mm]
Approval and Application	
Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	8 kWh
	574364


# Classic filament LEDbulbs

## Product Data

Full product code	871951434790800
Order product name	MAS VLE LEDBulb D7.8-75W E27 927 A60 FRG
EAN/UPC – product	8719514347908
Order code	34790800
SAP numerator – quantity per pack	1

Numerator – packs per outer box	10
SAP material	929003058102
SAP net weight (piece)	0.030 kg


## Dimensional drawing




Bulb A60 75W 1055lm 2700K E27 D FR

Product	D	C
MAS VLE LEDBulb D7.8-75W E27 927 A60 FRG	60 mm	104 mm


## Photometric data



LEDbulb MAS 7,8W A60 E27 927 FR-POC





LEDbulb MAS 7,8W A60 E27 927 FR-GUL



LEDbulb MAS A60 7,8W E27 927 FR-LDD

# Classic filament LEDbulbs

## Lifetime



15K LED

15K LMP

