



Classic filament LEDbulbs

MAS VLE LEDBulbD11.2-100W E27 927 A60FRG

Featuring a classic heritage design, Classic filament LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	20,000X
	Sphere
Light Technical	
Colour Code	927 [CCT of 2,700 K]
Luminous flux (nom.)	1521 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	135.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	11.2 W


Lamp current (nom.)	51 mA
Wattage equivalent	100 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	80 °C
Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60mm]
Approval and Application	
Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	12 kWh
	574366

Classic filament LEDbulbs

Product Data	
Full product code	871951434794600
Order product name	MAS VLE LEDBulbD11.2-100W E27 927 A60FRG
EAN/UPC – product	8719514347946
Order code	34794600
SAP numerator – quantity per pack	1

Numerator – packs per outer box	10
SAP material	929003058502
SAP net weight (piece)	0.030 kg


Dimensional drawing




Bulb A60 100W 1521lm 2700K E27 D FR

Product	D	C
MAS VLE LEDBulbD11.2-100W E27 927 A60FRG	60 mm	108 mm


Photometric data



LEDbulb MAS 11,2W A60 E27 927 FR-POC




LEDbulb MAS A60 11,2W E27 927 FR-LDD




LEDbulb MAS 11,2W A60 E27 927 FR-GUL

Classic filament LEDbulbs

Lifetime



15K LED



15K LMP

