

MASTER Ultra Efficient LED bulb

MAS LEDBulbND5.2-75W E27 840A70 CLG UE

This is the most efficient LED bulb from Philips brand. 210lm/W helps to concrete the company statement of sustainability. 50000 hour lifetime helps to extend the replacement cycle to reduce the waste. This is not only a high SPEC product, but also keeps the light quality of Philips brand

Product data

General information	
Cap base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	50000 h
Switching cycle	50,000X
	Sphere
Tier	MASTER
Light technical	
Colour Code	840 [CCT of 4,000 K]
Luminous flux (nom.)	1095 lm
Colour designation	Cool White (CW)
Correlated Colour Temperature (Nom)	4000 K
Luminous efficacy (rated) (nom.)	210 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and electrical	
Input frequency	50 to 60 Hz


Power (Rated) (Nom)	5.2 W
Lamp current (nom.)	60 mA
Wattage equivalent	75 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	70 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Lamp Finish	Clear
Bulb shape	A70 [A 70mm]
Approval and application	
Energy Efficiency Class	A

MASTER Ultra Efficient LED bulb

Energy consumption kWh/1,000 hours	6 kWh
	1099146
Product data	
Full product code	871951443589600
Order product name	MAS LEDBulbND5.2-75W E27 840A70 CLG UE
EAN/UPC – product	8719514435896

Order code	43589600
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003480502
Net Weight (Piece)	0.050 kg


Dimensional drawing




MAS LEDBulbND5.2-75W E27 840A70 CLG UE

Product	D	C
MAS LEDBulbND5.2-75W E27 840A70 CLG UE	70 mm	127 mm


Photometric data



Light Distribution Diagram





General uniform lighting



Spectral Power Distribution Colour

MASTER Ultra Efficient LED bulb

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

