

CorePro LEDbulb

CorePro LEDbulb ND 7.5-60W A60 E27 930UK

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

Product data

General information	
Cap base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	50,000X
	Sphere
Tier	CorePro

Light technical	
Colour Code	930 [CCT of 3,000 K]
Beam Angle (Nom)	180 °
Luminous flux (nom.)	806 lm
Colour designation	White (WH)
Correlated Colour Temperature (Nom)	3000 K
Luminous efficacy (rated) (nom.)	107 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %

Operating and electrical	
Input frequency	50 Hz
Power (Rated) (Nom)	7.5 W
Lamp current (nom.)	60 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.5
Voltage (Nom)	220-240 V

Temperature	
T-ambient (max.)	45 °C
T-ambient (min.)	-20 °C
T-Case maximum (nom.)	95 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Lamp Finish	Frosted
Bulb material	Plastic
Bulb shape	A60 [A 60mm]

Approval and application	
Energy consumption kWh/1,000 hours	8 kWh


Product data	
Full product code	871951447504500
Order product name	CorePro LEDbulb ND 7.5-60W A60 E27 930UK
EAN/UPC – product	8719514475045
Order code	47504500

CorePro LEDbulb

SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003543499

Net Weight (Piece)	0.027 kg


Dimensional drawing




CorePro LEDbulb ND 7.5-60W A60 E27 930UK

Product	D	C
CorePro LEDbulb ND 7.5-60W A60 E27 930UK	60 mm	107 mm


Photometric data



Light Distribution Diagram




General uniform lighting




Spectral Power Distribution Colour

CorePro LEDbulb

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.