



R SERIES LR80 - 9W

9 watt LED directional lamp R lamps

Application

Energy efficient LED lamp solutions, E27 lamp base

Design Specifications

- Opal polycarbonate diffuser, 120 degree beam distribution
- Poly covered aluminium body
- High efficiency SMD LED chips
- Integral non-dimmable LED driver
- Colour temperatures 3000K / 6000K, CRI > 80
- 1:1 size to traditional R lamp, non-dimmable, suits most R lamp fittings, double insulation



Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI	Beam Angle (°)
LR80WW	240	9	850	3000	80	120
LR80DL	240	9	850	6000	80	120


Model No.	Dimmable	Diameter (mm)	Height (mm)	Base Type
LR80WW	NO	80	113	E27
LR80DL	NO	80	113	E27

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions

LR80 E27



THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY
MATCH THE
UNIFIT SFI
DOWNLIGHT
WITH THIS
SDD400SFI
DIMMER.**



**DIM with
FLICKER
CONTROL**

For related
products
please
scan me

