

Product datasheet

Specifications



Powerpact 4 - panelboard - 800A - 12 ways - 3P - Style E

Local distributor code:
387299110 MG8C12

EAN Code: 5018934933344

Main

Range	PowerPact
Product or component type	Panelboard
Product name	PowerPacT 4
Device application	Distribution
Colour	Cream (RAL 9001)
Provided equipment	removable bottom gland plate end cover

Complementary

[In] rated current	800 A
Number of ways	12 ways (3P) 36 ways (1P)
[Ue] rated operational voltage	415 V 50 Hz AC
Breaking capacity	50 kA AC 1 s
Enclosure material	epoxy-polyester powder steel
Thickness	Cover: 1.2 mm Enclosure: 1.6 mm
Cable entry	Bottom entry at main
Device mounting	Wall mounted
Height	1896 mm
Width	850 mm
Depth	260 mm
Horizontal fixing centres	172 mm
Vertical fixing centres	1306 mm

Environment

IP degree of protection	IP3x
Standards	BS EN 61439-1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	41.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	193.000 cm
Package 1 Length	89.000 cm
Package 1 Weight	105.000 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Compliant
-----------------------------------	-----------

REACH Regulation	REACH Declaration
------------------	-----------------------------------

China RoHS Regulation	China RoHS declaration
-----------------------	--

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
---------------------	--

Take-back	No
-----------	----