
<u>define</u>[®]





Telephone and Data Sockets



The smooth modern lines of the Define accessory plate will fit easily into traditional and contemporary designs alike.

Define flat plate Telephone and Data sockets are designed to fit effortlessly with the range, with simple installation to enhance the décor of any area.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 **E-mail:** sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362

Website: www.scolmore.com





Product Range

Finish Comparison



Brushed Steel (BS)



Black Nickel (BN)



Pearl Nickel (PN)



Polished Chrome (CH)



Stainless Steel (SS)

Telephone: 01827 63454 **E-mail:** sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362 Website: www.scolmore.com





Product Range	
Telephone Sockets	
FP**120##	Single Telephone Outlet - Master
FP**121##	Twin Telephone Outlet - Master
FP**125##	Single Telephone Outlet - Secondary
FP**126##	Twin Telephone Outlet - Secondary

Data Outlets

FP115##** RJ11 (Irish/US) Outlet







FPBN121BK

FPBS115BK FPPN120WH





FPCH125WH FPSS126BK

Errors & Omissions excluded. Specification is subject to change without notice. ** Denotes Plate Finish, ## Denotes Insert Colour


V1.0


Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB








Product Dimensional Drawings (mm)












Facsimile: 01827 63362

Website: www.scolmore.com





Wiring Diagrams



Errors & Omissions excluded. Specification is subject to change without notice. ** Denotes Plate Finish

Facsimile: 01827 63362

Website: www.scolmore.com

= B





Technical Specification	
Telephone and Data Sockets	
Material Composition	Front Plate: Stainless Steel
Connection Types	RJ11 Socket - Screw Terminals
	RJ45 and Telephone Sockets - IDC
Back Box Depth	16mm - 47mm
Warranty	10 Years
IP Rating	IP20
Operational Temperature	-5° to +40°C
Standards	The Low Voltage Directive 2006/95/EC
	BS 6312-2-2:1997 (where applicable)
	BS EN 50173-1:2011 (where applicable)
	BS 5733:1995 (where applicable)

Additional Information

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

Facsimile: 01827 63362

Website: www.scolmore.com





Scolmore International Ltd

1 Scolmore Park: Landsberg Lichfield Road Industrial Estate Tamworth, Staffordshire B79 7XB

t: 01827 63454 f: 01827 63362

e: sales@scolmore.com w: www.scolmore.com

DECLARATION OF CONFORMITY

1. Issuer Name Scolmore International Limited

2. Issuer Address 1 Scolmore Park, Landsberg,

> Lichfield Road Industrial Estate. Tamworth, Staffordshire, B79 7XB

3. Object(s) of Declaration Define Range

> a. Group Telephone & Data Socket Outlets

b. Model No. FP-115, FP-120, FP-121, FP-125, FP-126

4. The object of the declaration described above is in conformity with the requirements of the following Legislations:

> Document No Title

2006/95/EC Low Voltage Directive

5. All products contained within the aforementioned comply with the relevant standards and requirements listed below.

BS 6312-2-2: 1997 (where applicable) BS EN 50173-1: 2011 (where applicable)

BS 5733: 1995 (where applicable)

6. I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008

Signed, for and on behalf of: Scolmore International Limited

Batto

Steven Bettson BSc - Senior Technical Support Engineer

C E 13







