

ABS box IP66 IK07 RAL7035 Int.H105W105D55 Ext.H116W116D62 Opaque cover H10

Local distributor code:

387531166 NSYTBS11116

EAN Code: 3606480165252

Main

Range	Thalassa	
product name	Thalassa TBS	
Device application	Multi-purpose	
Category	Industrial box	
Height	116 mm	
Width	116 mm	
Depth	62 mm	
Internal height	105 mm	
Internal width	105 mm	
Internal depth	55 mm	
Enclosure mounting	Wall mounted	
Device composition	1 body 1 cover 4 cover screw	
Quantity per set	Set of 5	
Body type	One piece moulded	
Type of front cover	Low plain cover	
Cover fixing	Plastic screws	
Lock type	Captive screw flat outside sealed area	
Removable parts	Cover by captive screws	

Complementary

Material	ABS with 45% of post-industrial recycled content	
Colour	Grey (RAL 7035)	
Standards	IEC 62208	
Product certifications	TÜV	
Electrical insulation class	Class II	
IP degree of protection	IP66 conforming to NEMA 4.4X	
IK degree of protection	IK07 conforming to IEC 62262	
Glow wire resistance	650 °C conforming to IEC 60695-2-11	
Ambient air temperature for storage	-1540 °C	
Operating temperature	-2560 °C	

Net weight 0.151 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.200 cm
Package 1 Width	11.600 cm
Package 1 Length	11.600 cm
Package 1 Weight	149.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	75
Package 2 Height	40.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	12.700 kg
Unit Type of Package 3	P12
Number of Units in Package 3	900
Package 3 Height	135.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	163.000 kg

Logistical informations

Country of origin

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1			
Environmental Disclosure	Product Environmental Profile			

Use Better

Materials and Substances		
Minimum percentage of recycled plastic content	45	
Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions




Image of product / Alternate images

Alternative

