

Mains-Power Supplies Label Pack



Product Description

This easy-to-use product pack keeps electricians compliant with BS 5839-1 & BS 5839-9 in respect to the correct labelling of the mains power circuits which supply fire alarm & disabled refuge system (emergency voice communication) installations.

Electricians are required to comply with the specific requirements of the fire safety system British Standard as well as BS 7671 for the 230v power supplies they install.



Use this product pack in conjunction with our certificates, checklists, technical documentation and management systems that are part of our CEF Technical & Business Documentation Pack, to be fully compliant with BS 5839-1 & BS 5839-9.

[READ ON FOR MORE INFO](#)

[Online and on the trade counter](#)

For further information visit [trade-docs.com](https://www.trade-docs.com)

TRADE-DOCS.COM LIMITED reserves the right to alter the specification of its products from time to time without notice. Although every effort has been made to ensure the accuracy of the information contained in this document it is not warranted or represented by TRADE-DOCS.COM LIMITED to be a complete and up-to-date description. Check online for current version.

FIRE ALARM DO NOT SWITCH OFF LABEL

Product Features

- British Standard compliant
- Vinyl based adhesive label for durability
- Clear font with contrast background for improved legibility



Non-Domestic Fire Alarms	Grade C Fire Alarms	Grade D Fire Alarms	Emergency Lighting	Voice Alarms	Emergency Voice Communications	Evacuation Alert Systems
✓	✓					

Product Description

This Fire Alarm System label has been designed to satisfy the requirements of the British Standards as described below:

BS 5839-1:2017 Clause 25.2f states...

Every isolator and protective device that can isolate the supply to the fire detection and fire alarm system, other than the main isolator for the building and where in the case of a switch (whether incorporating a protective device or not) that serves only the fire alarm circuit should be labelled “**FIRE ALARM. DO NOT SWITCH OFF**”.

BS 5839-6:2019 Clause 15.3b states...

Where the mains supply to the control and indicating equipment is supplied via an isolating protective device, the isolating device should be labelled “**FIRE ALARM DO NOT SWITCH OFF**”.

Product Specification

Product Code	FD-LAB-FDFA-FDS
Labels per Pack	4
Label Size	20mm x 70mm
Label Material	Vinyl

WARNING THIS SWITCH ALSO CONTROLS THE SUPPLY TO THE FIRE ALARM SYSTEM LABEL



Product Features

- British Standard compliant
- Vinyl based adhesive label for durability
- Clear font with contrast background for improved legibility

Non-Domestic Fire Alarms	Grade C Fire Alarms	Grade D Fire Alarms	Emergency Lighting	Voice Alarms	Emergency Voice Communications	Evacuation Alert Systems
✓						

Product Description

This Fire Alarm System label has been designed to satisfy the requirements of the British Standards as described below:

BS 5839-1:2017 Clause 25.2f states...

Every isolator and protective device that can isolate the supply to the fire detection and fire alarm system, other than the main isolator for the building and where in the case of any switch that disconnects the mains supply to both the fire alarm system and to other circuits **“WARNING. THIS SWITCH ALSO CONTROLS THE SUPPLY TO THE FIRE ALARM SYSTEM”**.

Product Specification	
Product Code	FD-LAB-FDFA-WFA
Labels per Pack	4
Label Size	20mm x 70mm
Label Material	Vinyl

EMERGENCY VOICE COMMUNICATION SYSTEM DO NOT SWITCH OFF LABEL



Product Features

- British Standard compliant
- Vinyl based adhesive label for durability
- Clear font with contrast background for improved legibility

Non-Domestic Fire Alarms	Grade C Fire Alarms	Grade D Fire Alarms	Emergency Lighting	Voice Alarms	Emergency Voice Communications	Evacuation Alert Systems
					✓	

Product Description


This Emergency Voice Communication System label has been designed to satisfy the requirements of the British Standards as described below:

BS 5839-9:2011 Clause 13.1f states...

Isolators and protective devices that can isolate the supply to the emergency voice communication system, other than the main isolator for the building and where in the case of a switch that serves only the EVC circuit, should be labelled “**EMERGENCY VOICE COMMUNICATION SYSTEM DO NOT SWITCH OFF**”.

Product Specification	
Product Code	FD-LAB-EVC-DNS
Labels per Pack	4
Label Size	20mm x 70mm
Label Material	Vinyl

WARNING. THIS SWITCH ALSO CONTROLS THE SUPPLY TO THE EMERGENCY VOICE COMMUNICATION SYSTEM LABEL



Product Features

- British Standard compliant
- Vinyl based adhesive label for durability
- Clear font with contrast background for improved legibility

Non-Domestic Fire Alarms	Grade C Fire Alarms	Grade D Fire Alarms	Emergency Lighting	Voice Alarms	Emergency Voice Communications	Evacuation Alert Systems
					✓	

Product Description

This Emergency Voice Communication System label has been designed to satisfy the requirements of the British Standards as described below:

BS 5839-9:2011 Clause 13.1f states...

Isolators and protective devices that can isolate the supply to the emergency voice communication system, other than the main isolator for the building and where in the case of any switch that disconnects the mains supply to both the EVC and to other circuits, should be labelled “**WARNING. THIS SWITCH ALSO CONTROLS THE SUPPLY TO THE EMERGENCY VOICE COMMUNICATION SYSTEM**”.

Product Specification	
Product Code	FD-LAB-EVC-WSE
Labels per Pack	4
Label Size	20mm x 70mm
Label Material	Vinyl