



RESPG8-SQWH
RESPG150SQWH



RESPG8-RNWH



RESPG250RNWH


NEW AND
IMPROVED 10"
ROUND WHITE
GRILLE



RESPG8-SQBK
RESPG150SQBK



RESPG8-RNBK
RESPG150RNBK



See page 77 for grille to duct connector & ceiling grille with clip-in spigot.

RAPID RESPONSE GRILLES



The stylish Rapid Response Grilles have a contemporary design and are available in a white or black finish.


- Available in Round and Square models.
- Available in 2 sizes to suit 8" and 10" Rapid Response header box fan models.
- Stylish, contemporary design.
- Quick & easy to install.
- Can be retrofitted to a previously installed Rapid Response Fan.
- Square grilles can be easily rotated to align with walls.



Round Grille Installation**

Pinch the ends of the metal spring clips together.

Feed the clips through the small slots on either side of the fan body.




Square Grille & NEW 10" round white grille Installation

Push the grille onto the base of the fan until the clips click into place.

Rotate the grille to the desired position.

DIMENSIONS



MODEL NO.	GRILLE	A □	B	C Ø	D	E Ø	F
RESPG8-SQWH	8" Square Grille White Finish	300	28	-	-	-	-
RESPG8-RNWH	8" Round Grille White Finish	-	-	294	19	-	-
RESPG8-SQBK	8" Square Grille Black Finish	300	28	-	-	-	-
RESPG8-RNBK	8" Round Grille Black Finish	-	-	294	19	-	-
RESPG150SQWH	10" Square Grille White Finish	353	30	-	-	-	-
RESPG250RNWH	10" Round Grille White Finish	-	-	-	-	353	30
RESPG150SQBK	10" Square Grille Black Finish	353	30	-	-	-	-
RESPG150RNBK	10" Round Grille Black Finish	-	-	332	24	-	-

All dimensions in mm

*Conditions apply. For details visit: fantechtrade.com.au/warranty
**Excluding new RESPG250RNWH model.



RESPG8-SQWH-TRILED
RESPG150SQWH-TRILED



RESPG8-RNWH-TRILED
RESPG150RNWH-TRILED



RESPG8-SQBK-TRILED
RESPG150SQBK-TRILED



RESPG8-RNBK-TRILED
RESPG150RNBK-TRILED

RAPID RESPONSE

GRILLES WITH LED

2*
YEAR
WARRANTY

RAPID
INSTALL

BUILT-IN
LED
LIGHT


MODERN
DESIGN

IP44[†]

The stylish and modern Rapid Response Grille with LED light will brighten up any bathroom, ensuite or toilet. LED light can be set to warm white, cool white or daylight by changing the Tri-Switch's position. The Rapid Response grilles are quick to install and can be easily removed for cleaning.

- Available in Round and Square models.
- Available in 2 sizes to suit 8" and 10" Rapid Response header box fan models.
- Stylish, contemporary design.
- LED light & Rapid Response Fan can be controlled separately.
- Quick & easy to install.
- Can be retrofitted to a previously installed Rapid Response Fan.
- Square grilles can be easily rotated to align with walls.

DIMENSIONS



MODEL NO.	GRILLE	A	B	C Ø	D
RESPG8-SQWH-TRILED	8" Square Grille White Finish with Tri-Switch LED	300	28	-	-
RESPG8-SQBK-TRILED	8" Square Grille Black Finish with Tri-Switch LED	300	28	-	-
RESPG8-RNWH-TRILED	8" Round Grille White Finish with Tri-Switch LED	-	-	294	19
RESPG8-RNBK-TRILED	8" Round Grille Black Finish with Tri-Switch LED	-	-	294	19
RESPG150SQWH-TRILED	10" Square Grille White Finish with Tri-Switch LED	353	30	-	-
RESPG150SQBK-TRILED	10" Square Grille Black Finish with Tri-Switch LED	353	30	-	-
RESPG150RNWH-TRILED	10" Round Grille White Finish with Tri-Switch LED	-	-	332	24
RESPG150RNBK-TRILED	10" Round Grille Black Finish with Tri-Switch LED	-	-	332	24

All dimensions in mm

SPECIFICATIONS

MODEL NO.	GRILLE	LUMENS (LM)	INPUT POWER (W)	COLOUR TEMP (K)	BEAM ANGLE
RESPG8-SQWH-TRILED RESPG8-SQBK-TRILED	Square	1000	12	3000/4200/6000	180°
RESPG8-RNWH-TRILED RESPG8-RNBK-TRILED	Round	800	9	3000/4200/6000	180°
RESPG150SQWH-TRILED RESPG150SQBK-TRILED	Square	1000	12	3000/4200/6000	180°
RESPG150RNWH-TRILED RESPG150RNBK-TRILED	Round	800	9	3000/4200/6000	180°

TRI-SWITCH LED

Grilles come factory pre-set to cool white (4200K), but can be changed to warm white (3000K) or daylight (6000K) by changing the position of Tri-Switch located on back of grille.

Warm
White

Cool
White

Daylight

Warm White
(Colour Temperature: 3000K)

Cool White
(Colour Temperature: 4200K)

Daylight
(Colour Temperature: 6000K)

Colour indicated in drawings above is for illustrative purposes only.

*Conditions apply. For details visit: fantechtrade.com.au/warranty

† Rating is for grille face when installed only. Components installed in ceiling space are IP4X rated.




RAPID RESPONSE


GRILLE TO DUCT CONNECTOR

The easy to install Rapid Response grille to duct connectors are designed to fit our modern 8" or 10" Rapid Response grilles and flexible duct. The grille to duct connectors are suitable for ducted systems that use an in-line, roof, or external wall mounted fan. Grilles are quick to remove, making them easy to clean.

- High strength swing clips make installation easy.
- Can be retrofitted into a standard 8" (255mm) or 10" (290mm) round cut out.
- Designed to fit our range of 8" & 10" Rapid Response grilles.
- Suitable for 150mm ducting.




See page 34-35 for full range of Rapid Response grille options.




Rotate swing clips to hold grille to duct connector in place.

Tighten screws so clips clamp onto ceiling board.



All dimensions in mm

TYPICAL IN-LINE INSTALLATION




DIMENSIONS

MODEL NO.	DESCRIPTION	AØ	B	CØ	DØ HOLE CUTOUT
RESP8-DCON	Grille to duct connector to suit 8" Rapid Response grilles	145	75	270	255
RESP10DCON	Grille to duct connector to suit 10" Rapid Response grilles	145	75	315	290

Grille to Duct Connector (RESP8-DCON) (RESP10DCON)

Rapid Response Internal Grille (RESP8-SQWH-TRILED) (RESPG150SQWH-TRILED)



* Oval spigot designed to fit 150mm duct. Spigot can be mounted horizontally or vertically.


RAPID RESPONSE

CEILING GRILLE WITH CLIP-IN SPIGOT

The Rapid Response ceiling grille with clip-in spigot has been designed for ducted systems using an in-line fan and external grille. It can be positioned for horizontal or vertical duct connection.

- Can be retrofitted into a standard 10" round fan cut out.
- Unique 'push-out' ceiling clamps make installation easy.
- Clip-in spigot makes installation and duct connection easier.
- Grille can be easily removed for cleaning and rotated to align with walls.

DIMENSIONS



Model No. RCG150SQWH