

## Data

### Physical data

Width	0.8 mm / 0.031 inch
Height	48.5 mm / 1.909 inch
Depth	33 mm / 1.299 inch

### Material data

Note on material data	<a href="#">Information on material data can be found here</a>
Color	gray
Flammability class per UL94	V0
Fire load	0.036 MJ
Weight	1.2 g

### Commercial data



Product Group	22 (TOPJOB S)
PU (SPU)	100 (25) Stück
Packaging type	box

Subject to changes. Please also observe the further product documentation!

Country of origin	CN
GTIN	4055143234085
Customs tariff number	85389099990

## Approvals / Certificates

### Ex-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCCEX CQST/CNEEx	CNCA-C23-01	2020312313000238
	IECEX Physikalisch Technische Bundesanstalt	IEC 60079	IECEX PTB 03.0004 U (Ex eb IIC Gb or Ex eb I Mb)

## Downloads

### Documentation

#### Bid Text

2002-1291 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
2002-1291 doc - Datei	2017 Apr 27	doc 24.1 kB	Download

#### Additional Information

Technical Section Technical explanations	pdf 2.2 MB	Download
---	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 2002-1291	URL	Download
------------------------	-----	----------

### CAE data

EPLAN Data Portal 2002-1291	URL	Download
-----------------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



WSCAD Universe 2002-1291

[URL](#)

[Download](#)

ZUKEN Portal 2002-1291

[URL](#)

[Download](#)

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 2002-1291

[URL](#)

[Download](#)

End and intermediate plate; 0.8 mm thick; gray

## Installation Notes

### Product family

#### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.