

**Datasheet**

Art.No. 70.320.1628.0

Bottom BAS GUT GA 16 50 A

revos BASIC 500V size 16 open-bottom base, double locking lever



Art.No.	70.320.1628.0
EAN	4015573220089
Order unit	1 pieces

**Approvals**



**Technical data**

**General**

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	IP54
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

**Model**

DIN-size	16
Model	Equipment mounted (feed-through)
Locking mechanism	Double locking levers
Cable entry	None
Type of cable	None
With cable screw gland	No
Hinged lid	No
EMC-version	No

**Classification**

ECLASS 8.1	27440202: Housing for industrial connectors
ETIM 5.0	EC000437: Housing for industrial connectors
ETIM 4.0	EC000437: Housing for industrial connectors

ETIM 3.0

EC000437: Housing for industry plug connectors

Drawings

70.320.1628.0 BAS GUT GA 16 A		www.wieland-electric.com shop.wieland-electric.com	
Bestellnummer /Order number	Typ /Type		
<p>Weitere Daten siehe KATALOG oder KATALOG-Additional data see CATALOG or eCatalog.</p>			
<p>Bohrbild /Cut out</p>			
<p>Bohrbild /Cut out</p>			
<p>70.320.1628.0 13K</p>			
<p>GEHÄUSEUNTERTEIL Baugröße 16 41mm OPEN HOUSING size 16</p>			