

Datasheet

Art.No. 59.195.1055.0

Feed-through terminal RFK 1 / 95 FM PA/V0

Feed-through DIN rail terminal block with screw connection for mounting on G-32, nominal cross section 95 mm², width 32 mm, color gray



Art.No.	59.195.1055.0
EAN	4015573607736
Order unit	10 pieces

Approvals



Technical data

General

Nominal cross section	95 mm ²
Colour	Grey
Number of levels	1
Number of clamp positions per level	2
Width/grid dimension	32 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0
Explosion-tested version "Ex e"	No
Mounting method	G-rail
Terminal blocks for electrical installations	No

Technical data

Rated current	250 A
Rated voltage	1000 V
Pollution degree	3
Closing plate required	No
Type of insulation material	Thermoplastic
Length	92 mm

Connection Data

Connection type 1	Screw connection
Connection type 2	Screw connection
Minimum cross section fine stranded	16 mm ²

Maximum cross section fine stranded	95 mm ²
Minimum cross section stranded	16 mm ²
Maximum cross section stranded	95 mm ²
Torque conductor mounting	10 Nm

Technical Data UL/CSA

Cross section UL	6-3/0 AWG
Voltage UL	600 V
Current factory wiring	200 A
Current field wiring	200 A
Cross section CSA	6-3/0 AWG
Voltage CSA	600 V
Current CSA	200 A

Classification

ECLASS 8.1	27141120: Feed-through terminal block
ETIM 5.0	EC000897: Feed-through terminal block
ETIM 4.0	EC000897: Feed-through terminal block
ETIM 3.0	EC000897: Feed-through terminal block

Accessories

Art.No.:	Type:	Description
07.205.1227.0	Jumper bar VB RFK 1 / 95 / 2 / 32	Cross connector for DIN rail terminal blocks type RFK..., 2 -pole
07.205.1327.0	Jumper bar VB RFK 1 / 95 / 3 / 32	Cross connector for DIN rail terminal blocks type RFK..., 3 -pole
07.205.1427.0	Jumper bar VB RFK 1 / 95 / 4 / 32	Cross connector for DIN rail terminal blocks type RFK..., 4 -pole
07.340.0353.0	Partition with marking facility TE / RFK 1 / 95 PA/V0	Partition with marking facility for DIN rail terminal blocks type RFK ...
98.190.0000.0	Mounting rail TS 35x7,5 PERF 25mm - l:2000mm	Mounting rail G 32, unslotted, Höhe 5,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.190.1000.0	Mounting rail G-32 EN60715 2000MM	Mounting rail G 32, slotted, Höhe 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.210.0000.0	Mounting rail G-32 EN60715 2000MM	Mounting rail G 32, unslotted, Höhe 15 mm, length 2 m, material Aluminium
98.220.0000.0	Mounting rail G-32 EN60715 2000MM	Mounting rail G 32, unslotted, Höhe 15 mm, length 2 m, material E copper
Z5.522.7053.0	End bracket 9708	End clamp for mounting rail TS 32
Z5.523.5653.0	End bracket WE 2 / U	End clamp for mounting rail TS 35 and TS 32
Z5.523.5753.0	End bracket WE 1 / U	End clamp for mounting rail TS 35 and TS 32
Z7.409.5753.0	Cover AD RFK 95	Cover for high current block RFK1 / 95, yellow



Drawings

